



Transformations
Use and interpret translation of a shape
Use and interpret reflection of a shape
Enlarge a shape with, or without a centre.
Describe an enlargement
Use and interpret a fractional/negative enlargement
MINI REVIEW
Use and interpret rotation of a shape
Describe a single transformation
Multiple transformations of one shape
OPEN BOOK ASSESSMENT

DEFINITION In geometry, a transformation that moves all points a distance away from a centre point by applying a scale factor.	CHARACTERISTICS • Shapes change size. • The scale factor multiplies distances, including the distance from the centre.
EXAMPLES 	NON-EXAMPLES 

Enlargement

Handling Data
To use and interpret single averages including the range
Find the averages from single frequency tables
MINI REVIEW
Find averages from a grouped frequency table
Compare the distributions of two sets of data
Problem solving with averages and reverse mean problems
OPEN BOOK ASSESSMENT

DEFINITION
The value at the centre of a numerically ordered list of values.

CHARACTERISTICS

- May be one of the values, or halfway between two values.
- Position of the median found by $\frac{n+1}{2}$ where n is the number of values, for a small list.
 - If median is between two values, add the values and divide by 2 to find it.
 - Unaffected by outliers.

Median

EXAMPLES
1, 3, 3, 6, 7, 8, 9
Median = 6
1, 2, 3, 4, 5, 6, 8, 9
Median = $(4 + 5) \div 2 = 4.5$

NON-EXAMPLES
3, 5, 7, 13, 3, 7, 9

Score	Frequency
5	2
6	3
7	2
8	2
9	1
10	1

Median is not 7.5

DEFINITION
The most frequent item in a set of data.

CHARACTERISTICS

- May be more than one mode, or no mode.
- Shows popular choices.
- Is not affected by outliers.



Mode

EXAMPLES
NON-EXAMPLES
5, 8, 13, 15, 17
no mode

Ratio and Proportion
Simplify ratio including 1:n and n:1
Use ratio with fractions
Use ratio to share amounts out
Find a missing value given one part of the ratio
Direct proportion including the unitary method
Reciepes
Inverse proportion
Using two sets of information linked by a common ratio

DEFINITION A way of comparing two or more numbers or amounts by division.	CHARACTERISTICS • Write using a “:” symbol, say “to” • Equivalent to a fraction. • Unchanged when both quantities are multiplied by same factor.	DEFINITION The relationship between two variables where the product of the variables is constant. As one variable goes up, the other goes down.	CHARACTERISTICS • If one variable is multiplied by a constant, the other will be divided by the same constant (or multiplied by the reciprocal). • 0 of one variable means the other doesn’t exist.
EXAMPLES 2:3 7:9 5:4:12 2 parts sugar to 3 parts flour Twice as many girls as boys 1:1.345 4.2103:1 £1 = \$1.20 35p per 100g 43 miles per gallon	NON-EXAMPLES One teabag per person and one extra “for the pot”. There are six more girls than boys in the class. £6 per day + £2 service charge	EXAMPLES The average speed and time taken to travel a fixed distance The number of people working on a job and the time taken to do the job (provided all work at the same rate).	NON-EXAMPLES The number of people working on a job and the cost of the job. The amount of water leaking from a tank and the amount of water left in the tank.

Probability
Find the probability of an event happening
Find the probability of an event not happening
To understand relative frequency
Draw and interpret tree diagrams
Draw and interpret non replacement tree diagrams
OPEN BOOK ASSESSMENT

DEFINITION The measure of the likelihood of an event occurring or not occurring.	CHARACTERISTICS Written as a decimal or (more commonly) a fraction. The value must be between 0 and 1 (inclusive)	Probability	DEFINITION A tree diagram is a visual tool used to map out all possible outcomes of a sequence of events.	CHARACTERISTICS It consists of "branches" (which represent events or choices) and "nodes" (which represent the points where events occur). They are primarily used in probability, combinatorics, and statistics.
EXAMPLES $P(\text{win}) = 0.34$ $P(\text{not rain}) = \frac{5}{7}$ 	NON-EXAMPLES $P(\text{win}) = 3$ $P(\text{red}) = -0.6$ Unlikely means $\frac{1}{4}$ Likely means $\frac{3}{4}$ 50:50		EXAMPLES 	NON-EXAMPLES 